

Europe

Listino prezzi luglio 2023 IVA inclusa



SHUNYATA RESEARCH

Power Distributors | Power Cables | Signal Cables | Accessories

LPAUDIO

www.lpaudio.it - info@lpaudio.it

Contents

Ordering Information	3
General Information	4
Matching Power Cords and Power Conditioners	5
Power Cable Connectors	6
Power Cables	7
Power Distributor Power Cables	8
Power Distributors	9
Interconnects	10
Speaker Cables	12
Digital Cables	14
Accessories	17
Grounding Products	18

Ordering Information

Speaker cables and interconnects are priced **per pair**. Power cables and digital cables are priced **per cable**.

All cables are priced at a standard length, as indicated per model. Additional length may be added. Note that the pricing for additional length is per 0.25 meter. Cable lengths shorter than the listed standard length are priced the same as the base length cables.

When ordering speaker cables:

Speaker cable terminations must be selected for each speaker cable order. Two terminations are required: one for the amplifier end and one for the speaker end. For biwire speaker cables, three terminations are required: one for the amplifier end and two for the speaker end. Please make certain to specify all terminations to avoid any delays to your order.

When ordering phono cables:

Shunyata Research phono cables include a pair of single-ended (RCA) cables with a series-matched **ground cable** with multi-spade terminations. When ordering phono cables, please also indicate terminations for both the source and destination ends of the ground cable. Termination options include: combo spade (brass), small spade (copper), medium spade (copper), spade (gold; additional cost on Venom), and banana (gold; additional cost on Venom).

Please note when ordering **USB cables**: the minimum length is 1.5 meters, and the maximum length is 5 meters.

NOTICE

All prices listed are not binding and subject to change without prior notice.
For an official price quote, please contact Shunyata Research for a proforma.



www.lpaudio.it - info@lpaudio.it

General Information

Shipping Policy

All products ship F.O.B. from Poulsbo, WA. All shipping costs are the responsibility of the dealer/distributor. Products are shipped via UPS unless otherwise specified. Shunyata Research does not drop-ship products except under prearranged agreements. Please contact the factory directly for more information regarding drop shipments.

Transshipping

Shunyata Research understands that dealers and distributors have made a significant investment in their respective regional markets. Transshipping, or shipping product into the market of another established dealer, is strictly forbidden.

Warranty

Shunyata Research offers Limited Warranties to the original purchaser for products purchased in the US and Canada. For further details regarding product warranties, please see the accompanying warranty sheet included in the product packaging or contact Shunyata Research directly. Warranties outside of the US and Canada are covered by the respective distributor for that country. Shunyata Research will provide support to the distributor for warranty issues.

Service

Shunyata Research builds products to withstand years of usage, but we realize that sometimes a product may need servicing. Please contact Shunyata Customer Service to request an RMA. Please have the product model, serial number and purchase details available.

You must obtain an RMA before returning any product to the factory.

Note: Due to stringent manufacturing processes and proprietary assembly techniques, Shunyata Research products are not field-serviceable. Shunyata Research does not authorize servicing of its products by any third parties. Any attempts to service or alter a Shunyata Research product will void any and all warranties.

Upgrades

From time to time, Shunyata Research may offer product upgrades that will require the return of the product to the factory. Please contact Customer Service for further information and instructions regarding specific product upgrades. Shipping (both ways) for all factory-performed upgrades is the responsibility of the owner.

You must obtain an RMA before returning any product to the factory.

Advertising

Any Shunyata Research product advertised or published in print or online must always be priced at MSRP. Any items that are discounted or discontinued may not be advertised at a price below MSRP without prior permission from Shunyata Research.

Personnel

Grant Samuelson	Sales and Marketing Manager	grant@shunyata.com
Richard Rogers	Sales Manager	richard@shunyata.com
Cassandra Williams	Order Manager/Customer Service	orders@shunyata.com
Nicole Mathews	Accounting	nicole@shunyata.com



www.lpaudio.it - info@lpaudio.it

Shunyata Research power distributors do NOT ship with a power cable (except where noted). All power distributors have a C20 power inlet. Please order a C19 power cable for each power distributor. The chart below provides a quick and handy reference for appropriate cable and power distributor pairing. While any cable combination may be used, the suggestions below are made based on design and performance criteria to provide the maximum results when combined.

Recommended Cables for Power Distributors

Diagram illustrating the Everest Series product hierarchy:

- Venom Series V16, V6, AU8
- Delta D6
- Alpha A12, A10
- Sigma S12
- Denali 6000/S, 6000/T
- Everest 8000

Power Cable Connectors

Shunyata Research offers a number of terminations for power cables; please see the description and part number under each model listing for available terminations. Shunyata also manufactures a variety of adapters to convert ONE power cable to another connector type. Adapters are listed under 'Accessories' on page 15.

C5



C7



C7P



*Female: C13 // C15
Male: C14*



*Female: C19
Male: C20*



Power Cables



Venom Line -EU

Venom HC v2 C15 molded	1.50M	€675 C15 PC-VNM/M-VHC-V2-EU/C15		
Venom HC v2 custom	1.75m	€1.000 C15 PC-VNM-C-VHC-V2-EU/C15	€1.000 C19 PC-VNM-C-VHC-V2-EU/C19	additional length €60 /0.25m PC-VNM-VHC-EU/LEN
Venom V10 NR	1.75m	€1.100 C15 PC-VNM-V10/NR-EU/15	€1.100 C19 PC-VNM-V10/NR-EU/19	additional length €67 /0.25m PC-VNM-V10/NR-EU-LEN
VENOM-X EF	1.75m	€1.100 C15 PC-VNM-X/EF-EU-C15		additional length €63 /0.25m PC-VNM-X/EF-EU-LEN

Note: NR power cables reduce power line noise.

NR Reference Series -EU

Delta v2 NR	1.75m	€1.895 C15 PC-DLT/NR-V2-EU/C15	€1.895 C19 PC-DLT/NR-V2-EU/C19	additional length €95 /0.25 PC-DLT/NR-EU-LEN
Alpha v2 NR	1.75m	€3.150 C15 PC-ALP/NR-V2-EU/C15	€3.150 C19 PC-ALP/NR-V2-EU/C19	additional length €140 /0.25m PC-ALP/NR-EU-LEN
Sigma v2 NR	1.75m	€4.500 C15 PC-SIG/NR-V2-EU/C15	€4.500 C19 PC-SIG/NR-V2-EU/C19	additional length €250 /0.25m PC-SIG/NR-EU-LEN
Omega QR	2.0m	€11.500 C15 PC-OMG/QR-EU/C15	€11.500 C19 PC-OMG/QR-EU/C19	additional length €475 /0.25m PC-OMG/QR-EU-LEN
Omega QR-s	2.0m	€9.500 C15 PC-OMG/QRs-EU/C15	€9.500 C19 PC-OMG/QRs-EU/C19	additional length €280 /0.25m PC-OMG/QRs-EU-LEN

Note: Standard color theme for the Alpha and Sigma models is a black carbon with silver trim.
Optional themes that are available: Black/Gold & Red/Gold & Red/Silver.
The standard Omega color theme is grey and platinum trim. (Optionally available in Black/Gold theme)

NR and QR power cables reduce power line noise.

Power Cables

For Power Cable and Mini Adapters
please go to 'Accessories' on page 16.

XC Line -EU			For Power Distributors	
Venom V10 XC	1.75m	€1.000 C15 PC-VNM-V10/XC-EU/C15	€1.000 C19 PC-VNM-V10/XC-EU/C19	additional length €67 /0.25m PC-VNM-V10/XC-LEN
Delta v2 XC	1.75m	€1.780 C15 PC-DLT/XC-EU/C15	€1.780 C19 PC-DLT/XC-EU/C19	additional length €95 /0.25m PC-DLT/XC-EU-LEN
Alpha v2 XC	1.75m	€2.900 C15 PC-ALP/XC-EU/C15	€2.900 C19 PC-ALP/XC-EU/C19	additional length €140 /0.25m PC-ALP/XC-EU-LEN
Sigma v2 XC	1.75m	€4.100 C15 PC-SIG/XC-EU/C15	€4.100 C19 PC-SIG/XC-EU/C19	additional length €200 /0.25m PC-SIG/XC-EU-LEN
Omega XC	1.75m	€8.850 C15 PC-OMG/XC-EU/C15	€8.850 C19 PC-OMG/XC-EU/C19	additional length €450 /0.25m PC-OMG/XC-EU-LEN

Note: Standard color theme for the Alpha and Sigma models is a black carbon with silver trim.
Optional themes that are available: Black/Gold & Red/Gold & Red/Silver.
The standard Omega color theme is grey and platinum trim. (Optionally available in Black/Gold theme)

XC power cables are specifically designed for Shunyata power distributors.

Typhon T2 Umbilical Cables

TT2 Performance Umbilical	0.50m	€1.250 C19/Amphenol PC-TT2/VTX-UMBI	additional length €75 /0.25m PC-TT2/VTX-UMBI/LEN
TT2 Reference Umbilical	0.50m	€2.100 C19/Amphenol PC-TT2/VTX-Ag-UMBI	additional length €100 /0.25m PC-TT2/VTX-Ag-UMBI/LEN

Note: TT2 umbilical cables are used to connect a Typhon T2 power distributor to a Shunyata Research power distributor, such as a Denali 6000/s v2.

Power Distributors

Venom Line -EU



Venom V6	240V	€3.875 <i>aluminum/silver</i> PD-VNM-V6-EU/240	€250 <i>rackmount faceplate option</i> VNM-RM-V6	6 Schuko (CEE7) outlets
-----------------	------	--	--	----------------------------

Performance Series -EU

Hydra Delta D6	240V	€5.895 <i>aluminum/silver</i> PD-DLT/S-EU/240		6 Schuko (CEE7) outlets
-----------------------	------	---	--	----------------------------

Reference Series -EU

Denali 6000/S v2	240V	€10.100 <i>black</i> PD-DEN-D6S/B-EU/240	€10.100 <i>silver</i> PD-DEN-D6S/S-EU/240	6 Schuko (CEE7) outlets
Typhon T2	240V	€9.300 <i>black</i> PD-TYP-T2/B-EU/240-20	€9.300 <i>silver</i> PD-TYP-T2/S-EU/240-20	2 Schuko (CEE7) outlets
Everest 8000	240V	€16.680 <i>black</i> PD-EVE-E8/B-EU/240	€16.680 <i>silver</i> PD-EVE-E8/S-EU/240	8 Schuko (CEE7) outlets

Note: Power distributors do **NOT** ship with a power cord. A separate power cord with C19 termination is required.
See XC power cables for recommended cables.

Interconnects

Shunyata Research phono cables include a pair of single-ended (RCA) cables with a Venom CGC ground cable included, with multi-spade terminations. When ordering phono cables, please also indicate terminations for both the source and destination ends of the ground cable. Termination options include: combo spade (brass), small spade (copper), medium spade (copper), spade (gold; additional cost on Venom), and banana (gold; additional cost on Venom).

Venom Line -Cable Pairs



Venom RCA	€760 1.0m VNM-RCA-100	additional length €50 /0.25m VNM-RCA-LEN
Venom RCA Phono	€1.000 1.0m VNM-PHO-100	additional length €60 /0.25m VNM-PHO-LEN
Venom XLR	€1.100 1.0m VNM-XLR-100	additional length €70 /0.25m VNM-XLR-LEN

VENOM-X Line -Cable Pairs



VENOM-X RCA	€1.250 1.0m VNM-X-RCA-100	additional length €65 /0.25m VNM-X-RCA-LEN
VENOM-X RCA Phono	€1.580 1.0m VNM-X-PHO-100	additional length €90 /0.25m VNM-X-PHO-LEN
VENOM-X XLR	€1.500 1.0m VNM-X-XLR-100	additional length €80 /0.25m VNM-X-XLR-LEN

Delta Line -Cable Pairs



Delta v2 RCA	€1.895 1.0m DLT-RCA-V2-100	additional length €95 /0.25m DLT-RCA-LEN
Delta v2 RCA Phono	€2.200 1.0m DLT-PHO-V2-100	additional length €115 /0.25m DLT-PHO-LEN
Delta v2 XLR	€2.280 1.0m DLT-XLR-V2-100	additional length €115 /0.25m DLT-XLR-LEN

Interconnects

Alpha Line -Cable Pairs



Alpha v2 RCA	€3.800 1.0m ALP-RCA-V2-100	additional length €115 /0.25m ALP-RCA-LEN
Alpha v2 RCA Phono	€4.100 1.0m ALP-PHO-V2-100	additional length €130 /0.25m ALP-PHO-LEN
Alpha v2 XLR	€4.420 1.0m ALP-XLR-V2-100	additional length €130 /0.25m ALP-XLR-LEN

Sigma Line -Cable Pairs



Sigma v2 RCA	€5.690 1.0m SIG-RCA-V2-100	additional length €120 /0.25m SIG-RCA-LEN
Sigma v2 RCA Phono	€6.000 1.0m SIG-PHO-V2-100	additional length €140 /0.25m SIG-PHO-LEN
Sigma v2 XLR	€6.300 1.0m SIG-XLR-V2-100	additional length €140 /0.25m SIG-XLR-LEN

Speaker Cables

When ordering speaker cables, please select one termination for the amplifier end of the cable and one termination for the speaker end of the cable. If you are ordering bi-wire cables, please select two terminations for the speaker end of the cable. There are two termination options available: pure OFE copper terminals or gold-plated OFE copper terminals. Please be aware that the pure, non-plated copper terminals do require occasional cleaning to maintain maximum performance. The gold-plated terminals do not require maintenance. Please make certain to specify all terminations to avoid any delays to your order.

Venom Line



Venom Speaker	€1.680 2.0m VNM-SP-200	€1.830 2.5m VNM-SP-250	additional length €76 /0.25m VNM-SP-LEN
Venom Speaker Bi-wire	€2.000 2.0m VNM-SP/BI-200	€2.180 2.5m VNM-SP/BI-250	additional length €76 /0.25m VNM-SP/BI-LEN
Venom Jumpers	€600 0.25m VNM-JMP-025		additional length €76 /0.25m VNM-JMP-LEN

TERMINATIONS			
STIS v3	TM-STIS/SP-V3		6mm-8mm Combo
STIS v3	TM-STIS/BN-V3		Banana

VENOM-X Line



VENOM-X Speaker	€2.520 2.0m VNM-X-SP-200	€2.700 2.5m VNM-X-SP-250	additional length €95 /0.25m VNM-X-SP-LEN
VENOM-X Speaker Bi-Wire	€3.160 2.0m VNM-X-SP/BI-200	€3.380 2.5m VNM-X-SP/BI-250	additional length €110 /0.25m VNM-X-SP/BI-LEN
VENOM-X Jumpers	€750 0.25m VNM-X-JMP-025		additional length €95 /0.25 VNM-X-JMP-LEN

TERMINATIONS			
STIS v3	TM-STIS/SP-V3		6mm-8mm Combo
STIS v3	TM-STIS/BN-V3		Banana

Speaker Cables

Delta Line



Delta v2 Speaker	€3.800 2.0m DLT-SP-V2-200	€4.050 2.5m DLT-SP-V2-250	additional length €130 /0.25m DLT-SP-LEN
Delta v2 Speaker Bi-wire	€4.420 2.0m DLT-SP/BI-V2-200	€4.700 2.5m DLT-SP/BI-V2-250	additional length €145 /0.25m DLT-SP/BI-LEN
Delta v2 Jumper	€1.000 0.25m DLT-JMP-V2-025		additional length €130 /0.25 DLT-JMP-LEN

TERMINATIONS			
STIS v3	TM-STIS/SP-V3		6mm-8mm Combo
STIS v3	TM-STIS/BN-V3		Banana

Alpha Line



Alpha v2 Speaker	€6.300 2.0m ALP-SP-V2-200	€6.850 2.5m ALP-SP-V2-250	additional length €270 /0.25m ALP-SP-LEN
Alpha v2 Speaker Bi-wire	€7.580 2.0m ALP-SP/BI-V2-200	€8.150 2.5m ALP-SP/BI-V2-250	additional length €280 /0.25m ALP-SP/BI-LEN
Alpha v2 Jumper	€1.260 0.25m ALP-JMP-V2-025		additional length €270 /0.25m ALP-JMP-LEN

	Source (choose ONE)			Destination	
TERMINATIONS	Amp Spades	Amp Bananas		Speaker Spades	Speaker Bananas
Copper	ALP-TM/AMP-CU/SP	ALP-TM/AMP-CU/BN		ALP-TM/SPK-CU/SP	ALP-TM/SPK-CU/BN
Gold	ALP-TM/AMP-AU/SP	ALP-TM/AMP-AU/BN		ALP-TM/SPK-AU/SP	ALP-TM/SPK-AU/BN

Sigma Line



Sigma v2 Speaker	€12.570 2.0m SIG-SP-V2-200	€13.380 2.5m SIG-SP-V2-250	additional length €400 /0.25m SIG-SP-LEN
Sigma v2 Speaker Bi-wire	€15.150 2.0m SIG-SP/BI-V2-200	€16.120 2.5m SIG-SP/BI-V2-250	additional length €500 /0.25m SIG-SP/BI-LEN
Sigma v2 Jumper	€1.895 0.25m SIG-JMP-V2-025		additional length €400 /0.25m SIG-JMP-LEN

	Source (choose ONE)			Destination	
TERMINATIONS	Amp Spades	Amp Bananas		Speaker Spades	Speaker Bananas
Copper	SIG-TM/AMP-CU/SP	SIG-TM/AMP-CU/BN		SIG-TM/SPK-CU/SP	SIG-TM/SPK-CU/BN
Gold	SIG-TM/AMP-AU/SP	SIG-TM/AMP-AU/BN		SIG-TM/SPK-AU/SP	SIG-TM/SPK-AU/BN

Digital Cables

Venom Line



Venom AES/EBU	€590 1.0m VNM-AES-100	additional length €35 /0.25m VNM-AES-LEN
Venom S/PDIF	€590 1.0m VNM-SDF-100	additional length €50 /0.25m VNM-SDF-LEN
Venom Ethernet *	€760 1.5m VNM-ETH-150	additional length €27 /0.25m VNM-ETH-LEN

VENOM-X Line



VENOM-X AES/EBU	€760 1.0m VNM-X-AES-100	additional length €45 /0.25m VNM-X-AES-LEN
VENOM-X S/PDIF	€650 1.0m VNM-X-SDF-100	additional length €38 /0.25m VNM-X-SDF-LEN
VENOM-X Clock-75	€760 1.0m VNM-X-CLC/75-100	additional length €38 /0.25m VNM-X-CLC/75-LEN
VENOM-X USB *	€760 1.5m VNM-X-USB-150	additional length €57 /0.25m VNM-X-USB-LEN
VENOM-X Ethernet *	€650 1.5m VNM-X-ETH-150	additional length €30 /0.25m VNM-X-ETH-LEN

Delta Line



Delta v2 AES/EBU	€1.150 1.0m DLT-AES-V2-100	additional length €57 /0.25m DLT-AES-LEN
Delta v2 /SPDIF	€950 1.0m DLT-SDF-V2-100	additional length €50 /0.25m DLT-SDF-LEN
Delta v2 Clock-50	€1.100 1.0m DLT-CLC/50-V2-100	additional length €63 /0.25m DLT-CLC/50-LEN
Delta v2 Clock-75	€950 1.0m DLT-CLC/75-V2-100	additional length €50 /0.25m DLT-CLC/75-LEN
Delta USB *	€950 1.5m DLT-USB/150	additional length €70 /0.25m DLT-USB-LEN
Delta Ethernet *	€1.100 1.5m DLT-ETH-150	additional length €30 /0.25m DLT-ETH-LEN

***Note:** When ordering USB cables, the minimum length is 1.5 meters and the maximum length is 5 meters.
When ordering Ethernet cables, the minimum length is 1.5 meters.

Digital Cables

Alpha Line



Alpha v2 AES/EBU	€2.210 1.0m ALP-AES-v2-100	additional length €63 /0.25m ALP-AES-LEN
Alpha v2 S/PDIF	€1.895 1.0m ALP-SDF-v2-100	additional length €57 /0.25m ALP-SDF-LEN
Alpha v2 Clock-50	€2.020 1.0m ALP-CLC/50-v2-100	additional length €70 /0.25m ALP-CLC/50-LEN
Alpha v2 Clock-75	€1.895 1.0m ALP-CLC/75-v2-100	additional length €57 /0.25m ALP-CLC/75-LEN
Alpha USB *	€2.280 1.5m ALP-USB-150	additional length €140 /0.25m ALP-USB-LEN
Alpha Ethernet *	€1.580 1.5m ALP-ETH-150	additional length €35 /0.25m ALP-ETH-LEN

Sigma Line



Sigma v2 AES/EBU	€3.160 1.0m SIG-AES-V2-100	additional length €70 /0.25m SIG-AES-LEN
Sigma v2 S/PDIF	€2.850 1.0m SIG-SDF-V2-100	additional length €65 /0.25m SIG-SDF-LEN
Sigma v2 Clock-50	€3.100 1.0m SIG-CLC/50-V2-100	additional length €76 /0.25m SIG-CLC/50-LEN
Sigma v2 Clock-75	€2.850 1.0m SIG-CLC/75-V2-100	additional length €65 /0.25m SIG-CLC/75-LEN
Sigma USB *	€3.160 1.5m SIG-USB-150	additional length €165 /0.25m SIG-USB-LEN
Sigma Ethernet *	€2.530 1.5m SIG-ETH-150	additional length €36 /0.25m SIG-ETH-LEN

Digital Cables

Omega Line



Omega AES/EBU	€6.000 1.25m OMG-AES-125	additional length €285 /0.25m OMG-AES-LEN
Omega S/PDIF	€5.700 1.25m OMG-SDF-125	additional length €190 /0.25m OMG-SDF-LEN
Omega Clock-50	€5.950 1.25m OMG-CLC/50-125	additional length €215 /0.25m OMG-CLC/50-LEN
Omega Clock-75	€5.700 1.25m OMG-CLC/75-125	additional length €190 /0.25m OMG-CLC/75-LEN
Omega USB *	€4.420 1.5m OMG-USB-150	additional length €180 /0.25m OMG-USB-LEN
Omega Ethernet *	€3.800 1.5m OMG-ETH-150	additional length €36 /0.25m OMG-ETH-LEN

Accessories

Dark Field Suspension

Cable Suspension System

DF-SS Dark Field Suspension System	€760 set of 3 ACC-DFSS-PK3	cable elevators
DFE-Mini Dark Field Mini	€250 set of 12 ACC-DFE-PK12	cable separation accessory
Mobius Cable Suspension	€500 /ea ACC-MCS	cable elevators
Mobius Cable Suspension	€2.500 set of 6 ACC-MCS-PK6	cable elevators

Stainless Steel Isolation Foot

SSF 38mm	€760 set of 4 ACC-SSF38/S	fits: Venom PS8, Venom V16, Venom V6, Delta D6, Typhon v1, Denali 6000/S v1 and v2, Typhon T2
SSF 50mm	€930 set of 4 ACC-SSF50	fits: Alpha A12, Sigma S12, Denali 6000/T, Everest, Triton, Typhon QR

Venom V14 Mini Power Cable Adapters

Venom V14 C14 - C5	€130 PC-VNM/M-V14-C14/C5	converts standard IEC to mini C5 type	 length: 10" 250 mm
Venom V14 C14 - C7	€130 PC-VNM/M-V14-C14/C7	converts standard IEC to mini C5 type	 length: 10" 250 mm
Venom V14 C14 - C7P	€130 PC-VNM/M-V14-C14/C7P	converts standard IEC to mini C5 type	 length: 10" 250 mm

Power Cable Adapters

Universal Power Adapter	€85 ACC-ADP-C14/C13	for components with obstructed AC power entrance
SR-Z C14-C19	€420 ACC-ADP-C14/C19	converts standard C15 power cable to C19 to connect to a power distributor
SR-Z C20-C15	€465 ACC-ADP-C20/C15	converts C19 power cable to standard C15

Grounding Products

Product Guide for Shunyata Research Grounding Solutions

There are two different categories of grounding in an audio-video system: chassis-grounding and signal-grounding. The first, chassis-grounding, is well known and commonly used throughout the telecom and pro-audio industries. All the components in the system that have metal chassis are connected to a single, common, grounding point. The grounding point can be a power distributor or an earth-ground provided from an electrical outlet. Chassis-grounds are always connected to the building's electrical earth ground.

The second type of grounding system, '*signal-grounding*' is not well known and very seldom implemented outside of audiophile systems. This type of grounding scheme requires a central grounding device. This device acts as a central hub for all the ground wires that connect to each of the components in the system.

Analog signal-grounds should NEVER be directly connected to chassis-grounding systems. In most electrical devices, chassis-ground is the same electrically as signal-ground. However, in some devices the signal ground is at a different potential (voltage) relative to the chassis-ground. For this reason it is not a good practice to mix signal grounds with chassis grounds. Ideally they should be completely separate.

Shunyata Research produces grounding solutions for both chassis-grounding and for signal-grounding. All Shunyata Research power conditioners have one or more ground terminals that can be used as the central chassis hub. You simply connect the various component chassis' to the power conditioner using grounding cables.

The Shunyata Research ALTAIRA Signal Ground Control Center is specifically designed to function as a signal-grounding hub. It requires no AC or battery power to function and does not connect to an AC wall outlet. You use ground cables to connect each of its terminals to the various system components. These ground cables are specially constructed so that ONLY the grounds are interconnected. NO signals or signal wires are connected together.

WARNING: DO NOT USE common RCA or XLR cables with the ALTAIRA.
You could severely damage your electronics.


There are a variety of custom terminations available including: XLR, RCA, USB and Ethernet. Each ground cable is a custom build since the length required and specific terminations vary widely between specific systems. The ALTAIRA has 6 separate terminals, each of which can connect multiple ground cables. The terminal can accept a spade and banana type terminal and more than one spade can be stacked on a single terminal. This means that the ALTAIRA could interconnect more than 12 different components. For best performance, one terminal per component is recommended since each terminal is individually filtered.

Grounding Products

Product Guide for Shunyata Research Grounding Solutions

This short product guide is intended to help understand how to order the correct cable and termination for the specific application. The number of possible terminations and cable models for these two distinct methods of grounding means that each cable must be custom built to your order specifications.

Please refer to this guide and fill out the Configuration Worksheet before you submit your order so that we build and send the correct grounding cable to you and your customer. Please read the Altaira User Guide and then call to discuss any issues before ordering.



Chassis Ground Cables


To be used between Altaira CG-NR, Everest, Denali, Triton or other ground hubs or power conditioner grounding systems.

LEGEND:

Spade: 4-6 mm — Suitable for Altaira, Denali or Triton ground posts. *(most common)*

Banana — Suitable for Altaira, Denali or Triton ground posts.

Spade: 6-8 mm — Suitable for component chassis screw or component ground post.



Signal Ground Cables

To be used exclusively between Altaira Signal Ground Hub or similar and the components.

LEGEND:

Spade: 4-6 mm — Suitable for Altaira, Denali or Triton ground posts. *(most common)*

Banana — Suitable for Altaira, Denali or Triton ground posts.

Spade: 6-8 mm — Suitable for component chassis screw or component around post.

Altaira Ground Systems

Altaira -Noise Reduction Hubs

Altaira CG-NR Hub chassis ground center	€5.050 <i>aluminum/silver</i> GP-NRC-ALT-M6	6 grounding posts (CGC)
Altaira SG-NR Hub signal ground center	€5.050 <i>aluminum/silver</i> SP-NRC-ALT-M6	6 grounding posts (SGC)

Grounding Cables

Ground Cable Base

Each ground cable includes two STIS v3 terminals; a banana and a spade. If your destination component requires an RCA, XLR or other special terminal, select a tail from "Ground Tail" section.

Venom Ground Cable Base	€420 <i>1.0m</i> GRD-VNM-BASE	additional length €36 /0.25m GRD-VNM-LEN
Delta Ground Cable Base	€505 <i>1.0m</i> GRD-DLT-BASE	additional length €42 /0.25m GRD-DLT-LEN
Alpha Ground Cable Base	€675 <i>1.0m</i> GRD-ALP-BASE	additional length €60 /0.25m GRD-ALP-LEN
Sigma Ground Cable Base	€845 <i>1.0m</i> GRD-SIG-BASE	additional length €76 /0.25m GRD-SIG-LEN
Omega Ground Cable Base	€1.350 <i>1.25m</i> GRD-OMG-BASE	additional length €118 /0.25m GRD-OMG-LEN

STIS v3 Terminal

Note: Extra or replacement STIS terminals may be purchased individually.

STIS v3 Terminal Spade 6-8 mm	€70 <i>ea</i> TM-STIS/SP-V3	Combo spades accept a range of post diameters from 6 millimeters to 8 mm.
STIS v3 Terminal Spade 4-6 mm	€50 <i>ea</i> TM-STIS/CSP-V3	Combo spades accept a range of post diameters from 4 millimeters to 6 mm.
STIS v3 Terminal Banana	€60 <i>ea</i> TM-STIS/BN-V3	

Grounding Products

VTX Ground Tail















VTX Ground Tails are made from exclusive flexible hollow tubes. OFE Copper.

VTX RCA Ground Tail	€430 TL-VTX-RCA			Length: 4" (101mm)
VTX XLR/F Ground Tail	€430 TL-VTX-XLR/F			Length: 4" (101mm)
VTX XLR/M Ground Tail	€430 TL-VTX-XLR/M			Length: 4" (101mm)
VTX BNC Ground Tail	€430 TL-VTX-BNC			Length: 4" (101mm)
VTX Ethernet Ground Tail	€430 TL-VTX-ETH			Length: 4" (101mm)
VTX USB/A Ground Tail	€430 TL-VTX-USB/A			Length: 4" (101mm)
VTX USB/B Ground Tail	€430 TL-VTX-USB/B			Length: 4" (101mm)

Note: See length of interconnects from pg 12 for graphic reference.

VTX-Ag Ground Tail

VTX-Ag Ground Tails are made with a pure silver core and a concentric conductor of OFE copper.

VTX-Ag RCA Ground Tail	€505 TL-AG-RCA			Length: 4" (101mm)
VTX-Ag XLR/F Ground Tail	€505 TL-AG-XLR/F			Length: 4" (101mm)
VTX-Ag XLR/M Ground Tail	€505 TL-AG-XLR/M			Length: 4" (101mm)
VTX-Ag BNC Ground Tail	€505 TL-AG-BNC			Length: 4" (101mm)
VTX-Ag Ethernet Ground Tail	€505 TL-AG-ETH			Length: 4" (101mm)
VTX-Ag USB/A Ground Tail	€505 TL-AG-USB/A			Length: 4" (101mm)
VTX-Ag USB/B Ground Tail	€505 TL-AG-USB/B			Length: 4" (101mm)
AC Wall Plug Ground Adapter	€100 ACC-AC/EU			

Note: Ground Tails are interchangeable and can be used with any model of Base Ground Cable.

***Note:** AC plugs available in US, EU, and UK versions.



SHUNYATA RESEARCH

26273 Twelve Trees Lane
Poulsbo, Washington 98370
360 598 9935
www.shunyata.com



www.lpaudio.it - info@lpaudio.it